



Homeland
Security

Daily Open Source Infrastructure Report

22 July 2015

Top Stories

- Southbound lanes of Highway 48 in Montgomery County, Tennessee reopened July 20 after being closed for about 7 hours after a semi-truck hauling 26,000 pounds of cement overturned and spilled fuel onto the highway. – *Newschannel5.com* (See item [9](#))
- Microsoft released an update addressing a critical remote code execution vulnerability with the OpenType Font Driver in the Windows Adobe Type Manager Library that was being exploited in the wild. – *Network World* (See item [22](#))
- Findings from a survey of over 600 critical infrastructure information technology professionals revealed that about half of all respondents believe an attack on critical infrastructure in the next 3 years will down systems. – *SC Magazine* (See item [23](#))
- Thousands of BendBroadband customers were without Internet, TV, and phone services for almost 10 hours July 20 after an accident in Bend, Oregon damaged a fiber-optic data line. – *KTVZ 21 Bend* (See item [24](#))

Fast Jump Menu

PRODUCTION INDUSTRIES

- [Energy](#)
- [Chemical](#)
- [Nuclear Reactors, Materials, and Waste](#)
- [Critical Manufacturing](#)
- [Defense Industrial Base](#)
- [Dams](#)

SUSTENANCE and HEALTH

- [Food and Agriculture](#)
- [Water and Wastewater Systems](#)
- [Healthcare and Public Health](#)

SERVICE INDUSTRIES

- [Financial Services](#)
- [Transportation Systems](#)
- [Information Technology](#)
- [Communications](#)
- [Commercial Facilities](#)

FEDERAL and STATE

- [Government Facilities](#)
 - [Emergency Services](#)
-

Energy Sector

1. *July 21, WABC 7 New York* – (New York) **Crews working to restore power to thousands on Staten Island, Long Island.** Over 19,000 outages were reported July 20 across New York City due to electrical load issues amid high temperatures, and 138,000 customers had their power reduced while utility crews worked to restore service. Staten Island Tech and New Dorp High School were established as cooling centers to provide relief from the heat.
Source: <http://7online.com/news/20000+-without-power-in-region;-brooklyn-queens-manchattan-residents-asked-to-conserve-energy/866071/>
2. *July 20, KEYT 3 Santa Barbara* – (California) **Gas line and oil pipeline rupture in Cuyama Valley.** Approximately 210 gallons of oil spilled at the Russell Ranch oil field in Cuyama Valley, California July 20 after a 3-inch gas line and 4-inch oil pipeline ruptured. The cause of the rupture remains under investigation.
Source: <http://www.keyt.com/news/gas-line-and-oil-pipeline-rupture-in-cuyama-valley/34257218>

For another story, see item [10](#)

Chemical Industry Sector

Nothing to report

Nuclear Reactors, Materials, and Waste Sector

3. *July 20, KMTV 3 Omaha* – (Nebraska) **Ft. Calhoun nuclear plant goes offline.** The Omaha Public Power District reported that Fort Calhoun nuclear power plant was shut down July 20 while crews repaired a water leak on one of the plant's four reactor coolant pumps. No service interruptions will occur to customers while repairs are ongoing.
Source: <http://www.scrippsmedia.com/kmtv/news/Ft-Calhoun-nuclear-plant-goes-offline-317664141.html>

Critical Manufacturing Sector

4. *July 21, Network World* – (National) **Car hackers urge you to patch your Chrysler, Ram, Durango, or Jeep.** Fiat Chrysler Automobiles released a manual service bulletin July 16 for various model year 2013 and 2014 Ram, Cherokee, Grand Cherokee, Durango, and Viper vehicles running Uconnect systems addressing vulnerabilities that could have allowed unauthorized and unlawful access to vehicle systems.
Source: http://www.networkworld.com/article/2950642/microsoft-subnet/car-hackers-urge-you-to-patch-your-chrysler-ram-durango-or-jeep.html#tk.rss_all
5. *July 21, U.S. Consumer Product Safety Commission* – (National) **Target recalls Circo night lights due to fire hazard.** Circo issued a recall July 21 for about 143,000 various battery-operated night light models due to an issue in which the night light could

overheat and melt, posing a fire hazard. The product was sold exclusively at Target stores nationwide.

Source: http://www.cpsc.gov/en/Recalls/2015/Target-Recalls-Circo-Night-Lights/?utm_source=feedly&utm_medium=rss&utm_campaign=Recalls+RSS

6. *July 20, U.S. Department of Labor* – (Connecticut) **Employees of New Britain, Conn., heat treatment plant face chemical, fire, explosion and mechanical hazards.** The Occupational Safety and Health Administration issued New Britain-based Metallurgical Processing Inc., July 20 with 24 serious citations for violations including failing to train and properly equip employees who perform live electrical work, a lack of a pressure relief valve on a nitrogen tank, and improper storage of chemicals and combustible materials, among other issues. Proposed penalties total \$77,000.

Source:

https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&p_id=28299

Defense Industrial Base Sector

Nothing to report

Financial Services Sector

7. *July 20, Bay News 13 Orlando* – (Florida) **Skimming devices found at 3 ATM machines in Seminole.** Seminole County authorities reported that ATM skimming devices were installed at three locations in early July, and an investigation is ongoing to locate suspects.

Source:

http://www.mynews13.com/content/news/cfnews13/news/article.html/content/news/articles/cfn/2015/7/20/skimming_devices_fou.html

Transportation Systems Sector

8. *July 21, KCNC 4 Denver* – (Colorado) **All highways open after gas line break in Castle Rock.** A gas line break has shut down several highways in Castle Rock including State Highway 86 west of Interstate 25 and U.S. 85 east for an unspecified amount of time July 21.

Source: <http://denver.cbslocal.com/2015/07/21/gas-line-shuts-down-several-highways-in-castle-rock/>

9. *July 20, Newschannel5.com* – (Tennessee) **Highway 48 reopens near Clarksville after semi-truck overturns.** Southbound lanes of Highway 48 in Montgomery County reopened July 20 after being closed for approximately 7 hours after a semi-truck hauling 26,000 pounds of cement overturned and caused fuel to leak onto the highway. Crews responded to the scene and the driver was extracted from the vehicle with minor injuries.

Source: <http://www.scrippsmedia.com/newschannel5/news/Overturned-Semi-Truck->

[Blocks-Highway-149-Near-Clarksville-317518261.html](http://www.11alive.com/story/news/local/2015/07/20/tanker-explosion-wreck/30434123/)

10. *July 20, WXIA 11 Atlanta* – (Georgia) **Tanker truck explosion causes Clayton Mountain fire.** Highway 76 connecting Clayton and Hiwassee reopened July 20 after being closed for approximately 6 hours while crews responded to a blaze near the bottom of Clayton Mountain after a semi-truck hauling 8,500 gallons of gas overturned and caught on fire. The driver survived with minor injuries.
Source: <http://www.11alive.com/story/news/local/2015/07/20/tanker-explosion-wreck/30434123/>
11. *July 20, Corsicana Daily Sun* – (Texas) **Three dead in I-45 crash.** Interstate 45 near mile marker 209 south of Navarro County was shut down for several hours July 20 while crews investigated and worked to clear the scene of a 2-vehicle head-on collision that killed 3 people and injured several others.
Source: http://www.corsicanadailysun.com/news/update-three-dead-in-i-45-crash/article_b6e08d52-2f13-11e5-b792-bfc4e4d5c7d0.html
12. *July 20, KREM 2 Spokane* – (Washington) **State fire help requested for I-90 fire near George.** All lanes of Interstate 90 in George were shut down between milepost 138 and 154 July 20 while State fire assistance worked to contain a 900-acre fire that caused a Level 3 evacuation to be implemented for multiple recreational areas along the river. No homes or buildings have been destroyed.
Source: <http://www.krem.com/story/news/local/wildfire/2015/07/20/i-90-shut-down-again-near-vantage-due-to-brush-fire/30430779/>

For another story, see item [24](#)

Food and Agriculture Sector

13. *July 20, U.S. Food and Drug Administration* – (National) **Barrel O' Fun Snack Foods Co. issues allergy alert on undeclared milk in Vic's original popcorn (1-1/8oz).** The U.S. Food and Drug Administration reported July 20 that Barrell O' Fun Snack Foods Co. of Perham, Minnesota is recalling a specific lot of Vic's Original Popcorn 1-1/8 ounce-bags due to an undeclared milk allergen. The product was distributed through foodservices and retail stores nationwide.
Source: <http://www.fda.gov/Safety/Recalls/ucm455468.htm>
14. *July 20, U.S. Department of Agriculture* – (National) **Recall notification report (salad products).** Huxtable's Kitchen, Inc., a Fife, Washington establishment, issued a recall July 20 for approximately 778 pounds of salad products due to misbranding as the products may contain nitrites in the bacon. The products were shipped to stores nationwide.
Source: <http://www.fsis.usda.gov/wps/wcm/connect/FSIS-Content/internet/main/topics/recalls-and-public-health-alerts/recall-case-archive/archive/2015/rnr-103-2015>
15. *July 17, U.S. Department of Agriculture* – (National) **Recall notification report 102-**

2015 (sausage products). The Sausage Factory Inc., a Carson City, Nevada establishment, is recalling approximately 5,960 pounds of sausage products due to misbranding July 16. The products were produced on various dates from March 30 – June 12 and shipped to retail locations nationwide.

Source: <http://www.fsis.usda.gov/wps/wcm/connect/FSIS-Content/internet/main/topics/recalls-and-public-health-alerts/recall-case-archive/archive/2015/rnr-102-2015>

Water and Wastewater Systems Sector

16. *July 20, Jacksonville Daily News* – (North Carolina) **Maysville officials: partially treated sewage spilled into river.** About 15,000 gallons of partially treated sewage spilled into the White Oak River in Maysville over the weekend of July 18 due to a malfunction with one of the pumps that transfers wastewater at the town's wastewater treatment plant. Officials ordered a precautionary water advisory for residents to avoid the use of the waterway for swimming and fishing until the town is notified of clear water samples.

Source: <http://www.jdnews.com/article/20150720/NEWS/150729896>

Healthcare and Public Health Sector

17. *July 20, Easton Express-Times* – (Pennsylvania) **Lehigh Valley mental health clinics accused of fraud, unqualified psychotherapy.** The U.S. Attorney's Office for the Eastern District of Pennsylvania filed a lawsuit against Lehigh Valley Community Mental Health Centers July 20 in response to allegations of Medicaid fraud. A total of nine clinics under the mental health system were accused of using unqualified stand-ins for psychiatrists and failing to meet the minimum time requirement for medication management visits.

Source:

http://www.lehighvalleylive.com/news/index.ssf/2015/07/lehigh_valley_mental_health_cl.html

18. *July 20, Chicago Tribune* – (Indiana) **Incident forces VA clinic evacuation.** The Adam Benjamin Jr. Veterans Affairs Outpatient Clinic in Crown Point, Indiana was evacuated July 20 after an individual threw a suspicious package over the front desk and fled the scene. The package was determined to not be a threat, and the clinic will reopen July 21.

Source: <http://www.chicagotribune.com/suburbs/post-tribune/news/ct-ptb-va-clinic-police-st0721-20150720-story.html>

19. *July 18, Florida Times-Union* – (Georgia) **Official at Augusta VA hospital indicted on 50 counts of ordering staff to falsify vets' records.** A supervisor at the Charlie Norwood VA Medical Center in Augusta, Georgia was charged with 50 counts of making false statements in an unsealed indictment July 17 after allegedly ordering staff members to fabricate medical records of veterans in need of outside care.

Source: <http://jacksonville.com/news/crime/2015-07-18/story/official-augusta-va-hospital-indicted-50-counts-ordering-staff-falsify>

Government Facilities Sector

20. *July 20, Nextgov* – (National) **OPM changes privacy rules to let investigators inside all databases.** The U.S. Office of Personnel Management announced July 16 updated privacy regulations for routine use, granting access for investigators to all its databases in the case of suspected or confirmed security breaches. The public has until August 17 to comment on these changes in confidentiality.
Source: <http://www.nextgov.com/cybersecurity/2015/07/opm-changes-privacy-rules-let-investigators-inside-all-databases/118105/>

For another story, see item [24](#)

Emergency Services Sector

Nothing to report

Information Technology Sector

21. *July 21, Securityweek* – (International) **Configuration issue exposes 30,000 MongoDB instances: researcher.** The founder of the Shodan computer search engine reported that a default listening configuration in MongoDB exposed about 30,000 database instances containing 592.2 terabytes (TB) of data.
Source: <http://www.securityweek.com/configuration-issue-exposes-30000-mongodb-instances-researcher>
22. *July 20, Network World* – (International) **Microsoft issues critical out-of-band patch for flaw affecting all Windows versions.** Microsoft released an update addressing a critical remote code execution vulnerability (RCE) with the OpenType Font Driver in the Windows Adobe Type Manager Library affecting all supported versions of Windows that was being exploited in the wild.
Source: http://www.networkworld.com/article/2949910/microsoft-subnet/microsoft-issues-critical-out-of-band-patch-for-flaw-affecting-all-windows-versions.html#tk.rss_all
23. *July 20, SC Magazine* – (International) **Study: half of critical infrastructure IT professionals believe major attack looming.** Findings from a survey of over 600 critical infrastructure information technology (IT) professionals in Intel Security’s “Critical Infrastructure Readiness Report” revealed that about half of all respondents believe an attack on critical infrastructure in the next three years will down systems and lead to loss of life, and that 90 percent of respondents’ organizations faced an average of 20 attacks in the last year, among other statistics.
Source: <http://www.scmagazine.com/intel-security-conducts-cyberattack-survey/article/427429/>

For additional stories, see items [4](#) and [20](#)

Internet Alert Dashboard

To report cyber infrastructure incidents or to request information, please contact US-CERT at soc@us-cert.gov or visit their Web site: <http://www.us-cert.gov>

Information on IT information sharing and analysis can be found at the IT ISAC (Information Sharing and Analysis Center) Web site: <http://www.it-isac.org>

Communications Sector

24. *July 20, KTVZ 21 Bend* – (Oregon) **Monday woes: Bend crash cuts Internet, TV to thousands.** Thousands of BendBroadband customers were without Internet, TV and phone services for up to 10 hours July 20 after an accident in northeast Bend damaged a fiber-optic data line. Crews worked to repair the outage but numerous businesses and government customers were affected, including the Oregon Department of Motor Vehicles, which closed 4 Central Oregon offices due to the Internet outage.
Source: <http://www.ktvz.com/news/bend-crash-cuts-internet-tv-to-thousands-repairs-underway/34255912>

Commercial Facilities Sector

25. *July 21, KLKN 8 Lincoln* – (Nebraska) **Lincoln apartment fire forces building evacuation.** The Lodge Apartments in Lincoln, Nebraska was evacuated July 20 after a fire began inside an apartment unit and spread to surrounding areas. Fire crews extinguished the flames and damages total \$100,000.
Source: <http://www.klkn.com/story/29592428/lincoln-apartment-fire-forces-building-evacuation>
26. *July 20, WGCL 46 Atlanta* – (Georgia) **Gwinnet County gym evacuated because of chemical spill.** An LA Fitness gym in Gwinnett County was evacuated July 20 after an accidental mix of chemicals occurred in the pool of the facility. Two people were injured and one was sent to an area hospital.
Source: <http://www.cbs46.com/story/29589798/gwinnett-county-gym-evacuated-because-of-chemical-spill>
27. *July 20, Montgomery Advertiser* – (Alabama) **Threat prompts evacuation in Eastchase mall area.** Montgomery Police reported that parts of Eastchase Shoppes were closed or evacuated July 20 after officials received reports of a bomb threat. Approximately 50 police officers and fire officials responded to the incident and found no explosive devices or suspicious packages.
Source: <http://www.montgomeryadvertiser.com/story/news/2015/07/20/bomb-threat--eastchase/30431659/>
28. *July 20, Salt Lake City Deseret News* – (Utah) **Carbon monoxide scare prompts evacuation of 24 Salt Lake apartments.** Salt Lake City officials reported July 20 that 24 units at the Village Apartments were evacuated after high carbon monoxide levels were found. No injuries were reported and an investigation is ongoing to determine the cause.

Source: <http://www.deseretnews.com/article/865632956/Carbon-monoxide-scare-prompts-evacuation-of-24-Salt-Lake-apartments.html?pg=all>

29. *July 19, Bay News 9 St. Petersburg* – (Florida) **Discovery of WWII-era flash bomb prompts evacuation on St. Pete Beach.** A World War II-era flash bomb was found on St. Pete Beach July 19, prompting an evacuation of nearby homes and displacing 125 residents. Bomb crews neutralized the device and no injuries were reported.

Source:

http://www.baynews9.com/content/news/baynews9/news/article.html/content/news/articles/bn9/2015/7/19/section_of_st_pete_b.html

For another story, see item [24](#)

Dams Sector

30. *July 21, Associated Press* – (Missouri) **Dam leak closes park in St. Charles County.** The Missouri Department of Natural Resources is responding to a leak in a dam that holds back water in a private lake near Camp Creek County Park in St. Charles County, while officials have closed the park as a precaution.

Source: http://www.maryvilledailyforum.com/news/state_news/article_fd480580-7f53-55a9-bc67-a82b564cf7be.html



Department of Homeland Security (DHS)
DHS Daily Open Source Infrastructure Report Contact Information

About the reports - The DHS Daily Open Source Infrastructure Report is a daily [Monday through Friday] summary of open-source published information concerning significant critical infrastructure issues. The DHS Daily Open Source Infrastructure Report is archived for 10 days on the Department of Homeland Security Web site: <http://www.dhs.gov/IPDailyReport>

Contact Information

Content and Suggestions:

Send mail to cikr.productfeedback@hq.dhs.gov or contact the DHS Daily Report Team at (703) 942-8590

Subscribe to the Distribution List:

Visit the [DHS Daily Open Source Infrastructure Report](#) and follow instructions to [Get e-mail updates when this information changes](#).

Removal from Distribution List:

Send mail to support@govdelivery.com.

Contact DHS

To report physical infrastructure incidents or to request information, please contact the National Infrastructure Coordinating Center at nicc@hq.dhs.gov or (202) 282-9201.

To report cyber infrastructure incidents or to request information, please contact US-CERT at soc@us-cert.gov or visit their Web page at www.us-cert.gov.

Department of Homeland Security Disclaimer

The DHS Daily Open Source Infrastructure Report is a non-commercial publication intended to educate and inform personnel engaged in infrastructure protection. Further reproduction or redistribution is subject to original copyright restrictions. DHS provides no warranty of ownership of the copyright, or accuracy with respect to the original source material.